





# FARM EQUIPMENT SPRING CATALOGUE



FROM



QUALITY • INNOVATION • RELIABILITY

## **Rotary Hoes**





Breviglieri has a long history of innovation and development of top quality tillage machinery. Since 1949, Brevi have pursued and achieved continuous product innovation. The quality of their rotary hoes & power harrows speaks for itself. Silvan Australia has been proudly promoting the Breviglieri range since 2010.

Brevi rotary hoe's & power harrows are engineered to suit tractors from 10 to 400 HP. Silvan Australia stock Breviglieri rotary hoes from 85cm to 6.3m folding machines. Power harrows from 1.5 to 7m working widths are also offered. All machines in the Brevi range are designed and engineered for optimal results and efficiency.



#### **B40F SERIES**

Suited to low horsepower tractors and ideal for small farms, nurseries, vineyards and orchards.

- 820, 1020, 1220, 1420 & 1620mm working widths
- 15 to 40 HP with side chain drive



#### **B55F SERIES**

Rigid box construction rotary hoes suitable for medium sized farms and market gardens, preparation of ground and working in stubble and crop residues.

- 30 to 60 HP with side gear drive
- 1450, 1650 and 1850mm working widths
- 6 C blades per flange
- Cat I or II three point linkage





#### **B83 SERIES**

Suited to medium farms & contractors. Features rigid box section frame and performance based gearbox built to ISO standards.

- 1550, 1800, 2050 and 2310mm working widths
- 50 to 90 HP with side gear drive
- 6 C blades per flange



#### **B103V SERIES**

Heavy duty rotary hoes intended for medium horsepower tractors in horticultural applications.

- 100 HP multi speed gearbox with rear PTO (540 RPM)
- 155 205cm working widths
- 6 L blades per flange with side gear drive



WAS \$15,103

#### **B123 ROTARY HOES**

Heavy duty rotary hoes intended for large farms and contractors.

- 120 HP multi speed gearbox with rear PTO (540 RPM)
- 205 300cm working widths
- 6 L blades per flange with side gear drive
- CE safety guards and floating front hitches



Pictured: B170V-300CR

**B170V SERIES** 

WAS \$20,900

Heavy duty rotary hoes intended for large farms,

• 6 L blades per flange with side gear drive

specialised operations & contractors. Designed to work

170 HP multispeed gearbox with rear PTO (1000 RPM)

in heavy conditions with a wide choice of accessories.

250-300cm working widths with optional rear cage roller 🦻

B170V-300CR



## **Power Harrows**





#### **MEKFARMER 80/100 SERIES**

80HP single speed gearbox (540 RPM) or 100HP two speed gearbox (540 RPM).

- Phased rotors 200mm pitch
- 1.5 2.5m working widths
- 13/8" 6 spline PTO with slip clutch
- Reduces the absorption of power & fuel consumption
- Eliminates vibrations and better soil crumbling

WAS \$14,597

\$13,200

MF100-200CR

WAS \$18.139

**\$15,950** 

MF100-250CR



- 150HP single speed gearbox (540 RPM)
- Phased rotors and stone protection system
- Leveling bar standard and floating side shields
- 2.5 3.0m working widths with rear cage roller
- 13/8" 6 spline PTO with slip clutch
- Reduces the absorption of power & fuel consumption
- Eliminates vibrations and better soil crumbling

WAS \$20,493 **\$18.450** 

MF150-250CR

WAS \$23,419

**\$19.900** 

MF150-300CR



#### **MEKFARMER 220 SERIES**

220HP single speed gearbox (1000 RPM) or 220HP two speed gearbox (1000 RPM).

- Phased rotors 200mm pitch
- 3m working width with either cage or packer roller
- 1 3/8" 21 spline PTO with slip clutch
- Reduces the absorption of power & fuel consumption
- Eliminates vibrations and better soil crumbling

WAS \$27.720

MF220-300CR

WAS \$30,765

27,690

MF220-300PR

Carryalls



#### GALVANISED CARRYALL

All round farm use for carrying items such as fertiliser, fencing equipment, firewood, tools, spot sprayers etc.

- 50mm x 50mm RHS back frame and 50mm x 50mm angle floor frame
- Replaceable bolt-on checker plate floor

\$440

155SF1G

\$550





Since 1945, Nobili has been at the forefront of mulcher design and development. Stringent manufacturing processes ensure a very long service life in the most demanding environments. Silvan Australia has been Nobili's distributor since 1998 and proudly sell and support Nobili's unrivalled range of models.

Mulcher's cut grass, orchard pruning's and heavier organic material repeatedly resulting in a finer residue that decomposes quickly into humus, improving soil quality. Mulchers can be used in a wide variety of applications including: general clearing, crop residue management, pasture topping, orchards, vineyards, parks & gardens as well as roadside maintenance.



#### TLP SERIES

Designed for grass mulching and pasture topping with low horsepower tractors.

- Grass mulching only
- 1200, 1350 and 1600mm working widths
- Rear roller for height control fitted as standard



#### **BNE SERIES**

Suited to general clearing, pasture topping and vineyard prunings. Height control is maintained by an adjustable full width rear roller.

- Green prunings up to 40mm
- 1240, 1520, 1810 and 2100mm working widths
- · Rear roller for height control fitted as standard







#### **BKE SERIES**

The Nobili rear mount BKE series of mulchers are a multi-purpose machine ideal for pasture topping with the option of hydraulic side shift suited to tractors up to 100HP.

- Grass mowing and green prunings up to 50mm in diameter
- Low profile body, no opening tailboard
- Cutting height maintained by adjustable skids
- Cat. II three point linkage, floating top link

WAS \$11,781

WAS \$12,078

WAS \$12.595

**\$11.050** 

11.330

\$11<sub>-</sub>810

3KE210/01-F

KE230/01-F

KF250/01-F



#### **BNU SERIES**

A true multi-purpose machine! Fitted with a hinged tailboard for ease of maintenance and a mulching bar to produce a fine mulch.

- Green prunings up to 90mm
- 1220, 1580 and 1940mm working widths
- Optional rear roller or height control wheels



WAS \$10,483

\$9.830

BNU125/01

WAS \$11,550

**\$10.830** 

BNU160/01

WAS \$12,210

\$11,450

BNU195/01



#### **BNG SERIES**

The Nobili BNG series mulchers are a versatile machine ideal for a broad range of mulching applications. They are fitted with a tailboard that can be opened for ease of maintenance and a mulching bar to produce a finer mulch.

- Green prunings up to 75mm
- 2300mm and 2670mm working widths
- Optional rear roller or height control wheels



WAS \$13,959

\$13.090

0/01

**\$15,560** 

BNG270/01



#### **BK SERIES**

The Nobili BK series mulcher is a heavy duty multi-purpose machine, fitted with maintenance free bearings.

- · High profile body, opening tailboard and one mulching bar
- Green prunings up to 90mm
- 2301, 2792 & 3205mm working widths
- Optional rear roller or height control wheels (rear wheels standard on BK320/012)

WAS \$18,480

WAS \$24,827

BK230/012



#### **VKD SERIES**

A finer mulch is produced with two mulching bars, a restrictor bar and rakes. The VKD has side shift to the right with optional hydraulic side shift and height control is by an adjustable full width roller.

- 1530mm, 1718mm, 1906mm, 2094mm and 2280mm working widths
- Grass and green prunings up to 80mm diameter
  - Manual side shift with optional hydraulic side shift
- Roller (standard fitment)

VKD155/06

WAS \$14,289



#### **NF SERIES**

The latest addition to the Nobili range is the heavy duty NF2000 mulcher. This is specifically designed for mulching large orchard prunnings and general clearing areas of large branches.

- 2000mm working width
- Grass, stubble, regrowth and green prunings up to 200mm diameter
- High profile body, hydraulic opening tailboard and one mulching bar







## Slashers and Mowers

#### 102 SERIES GP SLASHER

Australian made general purpose slasher suited to clearing paddocks, fields and private roadsides.

- 3'6", 4', 4'6" and 5' cutting widths
- 40 HP gearbox
- Centre mount and offset
- Front and rear rubber stoneguards

\$2,310

3'6" 102 SERIES

**\$2,420** 

4' 102 SERIES



#### 108 SERIES GALVANISED SLASHER

Australian made medium duty slasher suited to clearing paddocks, fields and private roadsides.

- 5' and 6' cutting widths
- 75 HP gearbox
- Centre mount and offset
- Front and rear chain guards

5' 108 SERIES

**\$4,290** 



#### 131 SERIES HEAVY DUTY GALVANISED SLASHER

Suited to large acreage applications including field clearance, firebreaks, private roadsides or where major cutting and clearing is required.

- 5', 6' and 7' cutting widths
- 75 HP gearbox, front and rear rubber stoneguards



#### SITREX FINISHING MOWER

Suited to golf courses, sports grounds & gardens where a clean cut and smooth finish is required with low HP tractors (12 - 60HP). Designed to cut grass between 25mm and 100mm in height, which can easily be adjusted via 4 sturdy castor wheels.







#### RP LINKAGE HAYRAKE

A simple robust inline hayrake requiring minimal maintenance; suitable for raking, turning and spreading hay crops, grain crops, stubble and sugar cane debris.

- 4, 5 and 6 wheel models
- Working widths 2.6 4.1m

\$1,892

HR-RP4

\$2,277

HR-RP5



#### TR INLINE HAYRAKE

The TR hayrake is well suited to raking and turning hay and crop stubble.

- 9 and 13 wheel models
- Working widths of 5.5 and 8.5m respectively
  - 3 transport wheels

FROM

HR-TR9



#### **OR TRAILED HAYRAKE**

Suitable for raking and turning spreading hay crops, silage & grain crop stubble. Used as a 'V' or Inline rake.

- 8, 10 and 12 wheel models
- Working widths of 6.2 and 7.1m respectively
- Single set hydraulics via tractor remote

## FROM

0,200

HR-QR/8

## **HYDRAULIC TRAILED EXPLORER "V" HAYRAKE**

Suitable for raking, turning and spreading hay crops, silage and grain crop stubble.

- 10 and 12 wheel models
- Working widths of 6.2 and 7.1m respectively

FROM \$18,300

HR-MX/10





## **Fertiliser Spreaders**





#### CA TWIN SPINNER SPREADER

A versatile spreader with painted hopper for accurate spreading in pasture and horticulture applications.

- 900/1200/1500/2000 litre capacity
- Painted hopper with stainless steel spreading components
- Independent left/right hydraulic control
- Optional hopper cover

WAS \$10,967

1200L

WAS \$11,000

1500L

WAS \$10,274

WAS \$11.616

2000L



#### CA TWIN SPINNER SPREADER

Long lasting twin spinner spreader suited to pasture and horticulture applications.

- 900/1200/1500/2000 litre capacity
- Stainless Steel hopper & spreading components
- Independent left/right hydraulic controls
- Optional hopper cover



WAS \$12,595

WAS \$13,640



# Fertiliser Spreaders



#### MD PAINTED SPREADER

The MD series spreader is an economical option for large scale pasture and broadacre applications.

- 3000L capacity for spreading up to 36 metres
- Painted hopper with stainless steel spreading components
- Independent left/right hydraulic controls
- Hopper cover standard

#### **CALIBRATION APP**

Download the free app from iTunes and Google Play Store





## MX PROFESSIONAL SPREADER

The top of the line MX range are professional spreaders suited to broadacre applications.

- Available in 3000 and 4200L capacities for spreading up to 36 metres
- Weighing system models with rate control available for more precise application
- Available with painted or stainless steel hopper
- Hopper cover standard

3000L STAINLESS STEEL STEEL LOAD CELL \$31,300 DCM-MX3000X

4200L LOAD CELL 4200L STAINLESS STEEL LOAD CELL

<sup>\$</sup>34,900

\$**44,4**00

DCM-MX4200E DCM-MX4200XE



## Fertiliser Spreaders

#### **POLY HOPPER SPREADER**

Suitable for small to medium spreading applications. Capable of spreading a wide variety of products including fertiliser and seed.

- 350L corrosion resistant UV stabilised polyethelene
- Stainless steel metering and spreading discs
- Optional hopper cover & single or double-sided conveyors available



Hopper

Spread



#### SX SPREADER

Features a galvanised metal hopper suited to small and medium spreading applications.

- 345 litre capacity
- Includes PTO shaft/drive
- Optional agitator and single-sided conveyor available



Spread



WAS \$1.045

SX-500GALHOP



#### SP150 SPREADER

The SP150 trailed ATV spreader is ground driven and designed for spreading fertiliser on sporting fields, lawn and pasture. It is ideal for towing behind compact tractors and ATV motorbikes.

- Two piece cast aluminium gearbox with constant drive, one driven wheel, one free wheel
- 6.00 x 15" pneumatic tyres



Spread





#### TSP SPREADER

Ground driven and designed for spreading fertiliser and fine seed on sporting fields, lawns and pastures.

The hopper is made from corrosion resistant UV stabilised polyethelene

One manual control lever calibrated for quantity of application and a second control lever offers three settings for spreading pattern, left, right and full.







#### **SQTF OSCILLATING SPREADER**

The oscillating spreader is designed for precise application of fertiliser and seed at medium to low rates.

- Heavy duty construction for long service life
- Manufactured from non-corrosive UV stabilised impact resistant polyethylene
- Frame is made of galvanised, high strength steel



WAS \$5.280

800L - RON-SQTF800

1000L - RON-SQTF1000