

**Silvan**

# 12V & Motorised Sprayers



**Silvan**

## 12 Volt and Motorised Sprayers



### REDLINE 25L, 55L AND 100L

Ideal for weed control, spot and fence line spraying.  
Fits neatly onto the back of most quad bikes,  
UTV's and utility style vehicles. Includes spray shield  
Polytuff tank with 650ml measuring jug, chemical spill  
barrier and drain plug for easy cleaning  
Wrap around hose with clips for easy spraygun storage  
Optional trailers and boomless nozzle kit available



### SMOOTHFLO SPOTPAKS 50L, 100L AND 200L

All-purpose 12V sprayer ideal for spot spraying on-farm  
Non-spill lid, inbuilt carry handles  
Polytuff tank with a drain plug for easy cleaning  
Pump is recessed within tank for protection  
Clips for neat and easy spraygun storage



### QUAD BIKE/RAKPAK 50L AND 70L

All-purpose 12V sprayer ideal for spot spraying on quad bikes  
Non-spill lid and chemical spill barrier  
Pump is recessed within tank for protection  
Variety of pump options



### SQUAT & SKID SPRAYERS 300L, 400L AND 600L

Professional range for contractor/large operator  
Rugged tank with internal baffle and non spill lid  
12V Pump and Motorised Comet Diaphragm pump models



### UTEPAK/TRUKPAK 100L AND 200L

Professional Series ideal for spot and boom spraying  
Non-spill lid, in-built carry handles with chemical  
spill barrier  
Tank lid basket strainer and brass inserts in bottom  
of tank for permanent fixing  
Variety of pump options



### TRAYLINK 200L AND 300L

Suitable for mounting to compact tractors and utility/  
trailer trays  
Aquatec high capacity pump 20L/min  
Robust multi-purpose frame with CAT 1 pins  
Hypro boomless nozzle sprays up to 10 metre width



### RECHARGEABLE 20L & 25L

Self powered sprayers for home, garden, professional  
or on farm use  
Easy to push or tow with Ezy Glide wheels  
With rechargeable battery and 240V recharger



### LIGHTFOOT TRAILED 300L

For towing behind compact tractors, UTV's & quad bikes  
High capacity 12V pump or motorised  
Optional booms and hose reels

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.  
Never fill the tank capacity to exceed the vehicle or tractor manufacturer's specified safe load carrying capacities.  
Note: 1L of water = 1kg



# Redline Spotpak Sprayers

*Delivers all the features to suit your spot spraying requirements at a great price!*

**SAFETY  
FIRST**

CHEMICAL  
GLOVES  
SCP4000



CHEMICAL  
MEASURING JUG STORED  
BENEATH THE LID

3M BATTERY CABLE  
WITH ALLIGATOR CLIPS

BUILT IN  
CARRY HANDLES

1" DRAIN PLUG FOR  
EASY EMPTYING

TANK CLIPS FOR NEAT  
SPRAY GUN STORAGE

BOTTOM TANK  
MOUNT INSERTS (4X  
M6) FOR STRAPLESS  
MOUNTING

INCLUDES CONVENIENT  
SPRAY SHIELD IN  
55L & 100L MODELS

TIE DOWN POINTS FOR  
STRAPPED MOUNTING

SPRAY GUN WITH  
550MM STAINLESS  
STEEL LANCE AND  
ADJUSTABLE NOZZLE

UV STABILISED  
POLYTUFF TANK



## 12 Volt and Motorised Sprayers



Pencil stream  
sprays up to 8m



Conical  
spray pattern



SP25-B

### REDLINE SPOTPAK SPRAYERS - 25L

Rechargeable and 12V Spotpak options available. Fits neatly onto ride-on mower trailers, quad bike racks and ideal for weed control, spot & fence line spraying.

#### SPECIFICATIONS:

- UV stabilised polyethylene tank with 1" drain plug for easy cleaning and emptying
- 6m of delivery hose
- Spray gun with 550mm stainless steel lance and adjustable nozzle, clips easily to tank
- Lid retaining ring to prevent accidental loss
- Mounted pump On/Off switch and fuse
- Bottom tank mount inserts (4x M6) for strapless mounting to trailer or skid
- 2.6L/min open flow, 3.3 Bar/50psi pump (available in 12V and rechargeable versions)
- **SP25-R1:** 3m of battery cable with alligator clips
- **SP25-B:** Rechargeable model
- Supplied with battery and 240 volt wall charger
- Approx run time 4 tank fulls



SP25-R1



SP25-B

### SPRING RETRACTABLE HOSE REEL

Ideal for 12V spot spraying and linkage sprayers.

- Can also be mounted on workshop wall
- 1/4" BSPM outlet connection
- 10m of 8mm ID hose
- 16 Bar/240psi max pressure
- **Extra fittings required to connect hosereel to sprayer. See below**

SWIVELLING  
STEEL MOUNTING  
BRACKET



180L01008A



OPTIONS:



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP25-R1	25L Redline 12V Sprayer	580mm	330mm	280mm	4.4 kg	\$226.36	<b>\$249.00</b>	A
SP25-B	25L Redline Rechargeable SLA 12V 3.2Ahr Battery	580mm	330mm	280mm	5.5 kg	\$244.55	<b>\$269.00</b>	A
180L01008A	10m Spring Retractable Hose Reel	360mm	140mm	290mm	4.1 kg	\$163.64	<b>\$180.00</b>	A
TR55-13C	Spray Boom 3 Nozzle Kit					\$99.09	<b>\$109.00</b>	A
474-190	Brass 1/4" Female x 1/4" hose barb (2 REQUIRED) suit 25L Redline					\$18.51	<b>\$20.36</b>	B
187-MH05	SS Hose clamp 6-16mm (2 REQUIRED) suit 25L Redline					\$2.45	<b>\$2.70</b>	B

## 12 Volt and Motorised Sprayers



### REDLINE SPOTPAK SPRAYERS - 55L & 100L

The Redline range of 12V sprayers are the most feature packed economical sprayers in Australia. Ideal for weed control, spot and fence line spraying, they fit neatly onto the back of most quad bikes, UTV's and utility style vehicles.

#### SPECIFICATIONS:

- UV stabilised polyethylene tank with 1" drain plug for easy cleaning and emptying
- **55L Model:** 2.6L/min open flow, 3.3 Bar/50psi max pressure
- **100L Model:** 5.3L/min open flow, 4 Bar/60psi max pressure
- Spray gun with 550mm stainless steel lance and adjustable nozzle, clips easily to tank
- 6m of delivery hose
- 3m of battery cable with alligator clips
- Lid retaining ring to prevent accidental loss
- Mounted pump On/Off switch and fuse
- Bottom tank mount inserts (4x M6) for strapless mounting to trailer or skid
- Chemical measuring jug (650mm)
- **\*Extra fittings required to connect hose reel to sprayer, See below**



SP55-R1

#### OPTIONS:



SP100-R2

#### OPTIONS:



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP55-R1	55L Redline 12V Sprayer	715mm	425mm	360mm	5.4 kg	\$262.73	<b>\$289.00</b>	A
180L01008A	10m Spring Retractable Hose Reel	360mm	140mm	290mm	4.1 kg	\$163.64	<b>\$180.00</b>	A
SP100-R2	100L Redline 12V Sprayer	885mm	470mm	435mm	9 kg	\$444.55	<b>\$489.00</b>	A
180J1510A	15m Spring Retractable Hose Reel	400mm	160mm	450mm	7 kg	\$213.64	<b>\$235.00</b>	A
382-076	Replacement Redline Spray Shield	220mm			64 g	\$11.12	<b>\$12.23</b>	B
TR55-13C	Spray Boom 3 Nozzle Kit					\$99.09	<b>\$109.00</b>	A
474-190	Brass 1/4" Female x 1/4" hose barb (2 REQUIRED) suit 55L Redline*					\$18.51	<b>\$20.36</b>	B
474-196	Brass 1/4" Female x 3/8" hose barb (2 REQUIRED) suit 100L Redline*					\$22.55	<b>\$24.81</b>	B
187-MH05	SS Hose clamp 6-16mm (2 REQUIRED) SUIT 55L & 100L Redline*					\$2.45	<b>\$2.70</b>	B

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



## 12 Volt and Motorised Sprayers

\*SHOWN WITH 55L. PRICE DOES NOT INCLUDE REDLINE SPRAYER



SP55-R1 WITH OPTIONAL TR55-13

### REDLINE TRAILER KITS (TR55 & TR100)

Converts a 55L or 100L Redline into a trailed sprayer for spraying larger areas with ride-on mowers.

- Powder coated steel frame with adjustable double tongue hitch
- Large pneumatic wheels for smoother ride and better manoeuvrability
- 55L Model with 16" x 4.8" wheels
- 100L Model with 16" x 6.5" wheels



SP55-R1  
WITH  
OPTIONAL  
TR55  
(TRAILER) &  
TR55-10  
(BOOMLESS  
NOZZLE KIT)

SP100-R2  
WITH  
OPTIONAL  
TR100  
(TRAILER)

### REDLINE BOOMLESS NOZZLE KITS (TR55-10)

Adapts a trailed Redline into a boom sprayer with the kit matched to the pump. An included swivel nozzle holder allows coverage to be adjusted.

- Easy assembly - just bolts onto trailer
- Kit comes with 2 nozzles, 2m for 55L and 3m spray width for 100L



55L 2m Spray



100L 3m Spray



Wide area  
spray width

### SPRAY BOOM 3 NOZZLE KIT (TR55-13C)

- Suit 55L Redline and the new model 25L Trolley sprayer
- Poly spray tube with flat fan spray nozzles
- 1m boom width, 1.5m spray swath
- Supplied with mounting and plumbing kit



TR55-13C



CODE	DESCRIPTION	ASSEMBLY	LIST EX	LIST INC	CAT
TR55	Trailer Kit for 55L Redline	DIY	\$162.73	<b>\$179.00</b>	B
TR55-10	Boomless Nozzle Kit for 55L and 100L Redline	DIY	\$162.73	<b>\$179.00</b>	B
TR100	Trailer Kit for 100L Redline	DIY	\$235.45	<b>\$259.00</b>	B
TR55-13C	Spray Boom 3 Nozzle Kit	DIY	\$99.09	<b>\$109.00</b>	A

## 12 Volt and Motorised Sprayers



**SP25-TR2**

**SP25-TR2  
PICTURED WITH  
OPTIONAL TR55-13C**

Also suitable to  
attach to a 55L  
redline trailer

Includes chemical  
measuring jug

Includes convenient  
spray shield

**IDEAL FOR SMALL ACREAGE PROPERTY  
MAINTENANCE, LANDSCAPE  
GARDENERS, PEST CONTROL & GENERAL  
AGRICULTURAL SPRAYING APPLICATIONS**

### 25L RECHARGEABLE REDLINE TROLLEY SPRAYER

- 12V pump 2.6L/min open flow, 50psi
- Rechargeable battery and 240V wall charger
- 6m delivery hose with storage hanging hook
- Large 265mm Ezy Glide wheels
- 1" drain plug for easy cleaning and emptying
- Spray gun with 550mm stainless steel lance and adjustable nozzle
- Easy reach/trail trolley frame with soft hand grip and spray gun holder
- Up to 1.5 hours operation from one full charge (or approx 4 tank fulls)
- Includes chemical measuring jug stored safely beneath the lid

#### Optional spray boom suit new model 25L Trolley sprayer (TR55-13C)

Spray boom can be easily connected to the new model trolley sprayer, with pre drilled holes in the frame.

- Poly spray tube with flat fan nozzles
- 1m boom width, 1.5m spray swath
- Supplied with mounting and plumbing kit

# When fitting to an old model trolley sprayer, holes will need to be pre drilled prior to assembly.



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
SP25-TR2	25L Rechargeable Redline Trolley Sprayer	900mm	440mm	800mm	\$340.91	<b>\$375.00</b>	A
TR55-13C	Spray Boom 3 Nozzle Kit				\$99.09	<b>\$109.00</b>	A
BAT5	Battery 12V 3.2Ah				\$46.15	<b>\$50.77</b>	B
382-068B	CHARGER SUIT SP25-TR2 FROM SEPT 2016				\$52.60	<b>\$57.86</b>	B



## 12 Volt and Motorised Sprayers

SOLID METAL AXLE WITH PNEUMATIC  
250MM DIAMETER WHEEL

SPRAYS UP  
TO 5 TANKS  
PER CHARGE

**Silvan**  
PARTS &  
ACCESSORIES  
FULL RANGE OF SERVICE KITS &  
REPLACEMENT PARTS AVAILABLE



PESTICIDES



HERBICIDES



FERTILISERS



INSECTICIDES

TR25-2

### 20L RECHARGEABLE UPRIGHT TROLLEY SPRAYER

Upright design minimises space requirements. Suitable for weedicide, herbicide, insecticide, fungicide, pesticide, organic and green formulation.

- Portable sprayer with it's own 12V battery
- Heavy duty construction frame with removable handle
- Impact resistant polyethylene UV stabilised tank
- 240V battery recharger
- Smoothflo 12V diaphragm pump max 7L/min open flow 120psi
- Pressures regulator to apply chemicals at required pressure
- Spotjet 600mm stainless steel lance, with 6m hose
- Easy-to-use shut-off spray handle with comfort grip
- Anti spill screw lid with strainer
- Pneumatic wheels (250mm diameter)
- Corrosion resistant

**DESIGNED FOR ACCURATE APPLICATION OF CHEMICALS  
USING ADJUSTABLE NOZZLES FOR SPRAYING FROM A  
FINE MIST TO A COARSE PENCIL STREAM**

**IDEAL  
FOR PEST  
CONTROL  
WORK**



TR25-2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TR25-2	20L Upright Trolley Sprayer	310mm	510mm	980mm	17 kg	\$817.27	<b>\$899.00</b>	A

**Silvan**






WB100-S9-1

## 100L RECHARGEABLE 12V WHEELBARROW SPRAYER

This unit has been developed for spraying applications in vegetable gardens, nurseries, greenhouses, vineyards and orchards. Offering a low noise, no engine to start, exhaust fume free alternative for growers requiring a sprayer than can be taken into a hot house and produces a fine droplet/atomiser spray pattern. The sprayer is compact in design and well balanced to allow easy handling and operation in very small spaces.

### SPECIFICATIONS:

- 100L Capacity tank with a 5L fresh water tank. 240 volt charger included
- Battery box with integrated Aquatec 13 Bar/200psi max pressure pump offering 5L/Min open flow, battery & charging socket.
- Eco hoses reel with 30m x 10mm ID hose & adjustable Atomiser spray gun
- Powder coated frame with 330mm diameter pneumatic tyres



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
WB100-S9-1	100L Wheelbarrow Sprayer	1460 mm	600 mm	1180 mm	50.5 kg	\$2,304.55	<b>\$2,535.00</b>	A

# Smoothflo Spotpaks

*Delivers constant flow without pulsation  
for professional spraying results*

**SAFETY  
FIRST**  
CHEMICAL  
GLOVES  
SCP4000



BUILT IN CARRY  
HANDLES

6M OF 8MM  
DELIVERY HOSE

PUMP IS  
RECESSED  
WITHIN TANK FOR  
PROTECTION

3M BATTERY CABLE  
WITH ALLIGATOR CLIPS

TIE DOWN POINTS FOR  
STRAPPED MOUNTING

TANK CLIPS FOR NEAT  
SPRAY GUN STORAGE

1" DRAIN PLUG FOR  
EASY EMPTYING



SMOOTHFLO PUMP  
7L/MIN OPEN FLOW  
690KPA OR 120PSI MAX  
PRESSURE

ROTO MOULDED  
UV STABILISED POLYTUFF  
TANK



 **YouTube**

SCAN TO  
SEE OUR  
SMOOTHFLO  
SPOTPAK  
IN ACTION!

**Constant Flow Technology**  
NO PULSATION!

**Silvan**



## 12 Volt and Motorised Sprayers



SP100-S7

### 12V SMOOTHFLO SPOTPAK SPRAYERS - 50L, 100L & 200L

Ideal for weed control, spot & fence line spraying applications. The Smoothflo SpotPak Sprayer Series delivers constant flow, no pulsation and the highest pressure for distance spraying. Suitable for use with side by sides, utes, trays & trailers, with UV stabilised Polytuff tanks to ensure long life.

#### SPECIFICATIONS:

- 7L/min (open flow) 8 Bar/120psi max pressure
- Pump is recessed within tank for protection
- Spotjet spray gun with 600mm stainless steel lance & adjustable nozzle with tank clips for neat and easy spray gun storage
- 6m of 8mm delivery hose
- Drain plug 3/4" for easy clean and empty
- Non-spill lid, in-built carry handles
- 3m battery cable with ralligator clips
- Ideal for use with up to 30m of 10mm hose
- **\*Extra fittings required to connect hoses to reel to sprayer, See below**



#### OPTIONS:



CODE	DESCRIPTION	OPEN FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP50-S7	50L Smoothflo SpotPak	7L/min	700mm	400mm	300mm	6 kg	\$571.82	<b>\$629.00</b>	A
SP100-S7	100L Smoothflo SpotPak	7L/min	800mm	475mm	395mm	10 kg	\$708.18	<b>\$779.00</b>	A
SP200-S7	200L Smoothflo SpotPak	7L/min	1000mm	540mm	550mm	14 kg	\$817.27	<b>\$899.00</b>	A
180J1510A	Spring Retractable Hose Reel 15m		400mm	160mm	450mm	7 kg	\$213.64	<b>\$235.00</b>	A
474-196	Brass 1/4" Female x 3/8" hose barb (2 REQUIRED)*						\$22.55	<b>\$24.81</b>	B
187-MH05	SS Hose clamp 6-16mm (2 REQUIRED)*						\$2.45	<b>\$2.70</b>	B
RP1-34	Boomless Nozzle Towbar Boom						\$226.36	<b>\$249.00</b>	A
RP1-20	1.5m Towbar Boom						\$554.55	<b>\$610.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions. Never fill the tank capacity to exceed the vehicle or tractor manufacturer's specified safe load carrying capacities.

Note: 1L of water = 1kg

## 12 Volt and Motorised Sprayers



RP50-P1

### 12V QUAD BIKE SPRAYERS - 50L & 70L

Silvan Quad Bike and Rakpak sprayers are designed to fit neatly on quad bikes and meet the strict weight requirement of these vehicles. The wrap-around design allows for a lower centre of gravity, essential for improved quad bike safety.

#### SPECIFICATIONS:

- UV Stabilized Polytuff tanks
- Selecta 5.3L/min open flow pump, 4 Bar/60psi max pressure
- Spotjet spraygun with 600mm stainless steel lance and adjustable nozzle
- Chemical resistant Viton valves & thermoplastic polyurethane diaphragms
- 6m of 8mm delivery hose
- 3m battery cable with alligator clips
- Ratchet straps to secure to quad (pair included)
- Anti-spill barrier around lid to protect rider

#### ADDITIONAL FEATURES FOR 70L MODEL:

- Baffled poly tank to reduce surge when travelling
- Gun holder to secure spray gun when travelling



RP50-P1



RP70-P1



#### OPTIONS:



CODE	DESCRIPTION	OPEN FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
RP50-P1	50L Quad Bike	5.3L/min	775mm	850mm	250mm	10 kg	\$586.36	<b>\$645.00</b>	A
RP70-P1	70L Quad Bike	5.3L/min	800mm	850mm	390mm	12 kg	\$680.91	<b>\$749.00</b>	A
M99-65	Boomless Nozzle Kit with Single or Double Sided Swath						\$180.91	<b>\$199.00</b>	B
RP1-24-3	Pressure Regulator Kit						\$299.09	<b>\$329.00</b>	B
TR55-13C	Spray Boom 3 Nozzle Kit						\$99.09	<b>\$109.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



## 12 Volt and Motorised Sprayers



RP70N-S7

### 70L RAKPAK PLUS

The Silvan Rakpak Plus sprayers incorporate premium features for added convenience at the highest quality. With a choice of pump to suit your spot or boom spraying needs, the wrap-around design of the Rakpak Sprayers allows for a lower centre of gravity essential for improved quad bike safety.

#### SPECIFICATIONS:

- UV stabilised polytuff tank 70L capacity with internal baffle
- Pumps with Viton valves & Santoprene diaphragm
- 6m of 8mm delivery hose
- Spotjet spray gun with 600mm stainless steel lance and adjustable nozzle
- Gun holder to secure spray gun when travelling
- Anti-spill barrier around lid to protect rider
- 3m battery cable with alligator clips
- Ratchet straps to secure to Quad (pair included)
- Provision to fit drain tap

#### SPOT SPRAY PUMPS:

- **RP70N-S7** features a Aquatec Smoothflo 7L/min (open flow) pump with constant flow technology for no pulsation spraying 8 Bar/120psi max pressure

#### BOOM SPRAY PUMPS:

The higher flow is ideal for boom spraying. A pressure regulator is recommended for low flow spot and boom spraying

- **RP70N-S10** incorporates a Aquatec 14L/min open flow pump 4 Bar/60 psi



RP70N-S7



RP70N-S10



#### OPTIONS:



CODE	DESCRIPTION	OPEN FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
RP70N-S7	70L RakPak Smoothflo Plus	7L/min	800mm	850mm	390mm	12 kg	\$900.00	<b>\$990.00</b>	A
RP70N-S10	70L RakPak H/Capacity	14L/min	800mm	850mm	390mm	12 kg	1,135.45	<b>\$1,249.00</b>	A
RP70N-S10B	70L RakPak H/Capacity with M99-75B Kit	14L/min	800mm	850mm	390mm	12 kg	1,226.36	<b>\$1,349.00</b>	A
M99-65	Boomless Nozzle Kit with Single or Double Sided Swath (suit S7)						\$180.91	<b>\$199.00</b>	B
M99-75B	Twin Boomless Nozzle with Single or Double Sided Swath (suit S10)						\$159.09	<b>\$175.00</b>	B
RP1-20	1.5m Towbar Boom						\$554.55	<b>\$610.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

12 Volt and Motorised Sprayers

# Professional Sprayers

*Simple rugged design with essential features for professional use.*



**PUMP OPTIONS  
FOR HIGH PRESSURE,  
HIGH FLOW AND GENERAL  
SPOT SPRAYING**

**RANGE OF PROFESSIONAL  
SPRAY GUNS  
(TK200-S7C-1 PICTURED)**

**HEAVY DUTY  
INSERTS FOR MOUNTING  
HOSE REELS**

**Constant Flow Technology**  
NO PULSATION!

**DRAIN BUNG**

**LARGE FILLER LID WITH  
BASKET STRAINER**

**RAISED ANTI-SPILL LIP**

**TANK BOTTOM  
INSERTS  
FOR SECURE MOUNTING  
TO TRAY OR DECK**

**Silvan**



## 12 Volt and Motorised Sprayers



UP100-S7-2

### 100L PROFESSIONAL UTEPAK SPRAYER

Professional self contained sprayer favoured for their flexible range of options and rugged industrial design to fit to either utilities, trailers, carryalls, UTV or Side by Sides.

#### SPECIFICATIONS:

- UV stabilized polytuff tank with 6mm brass inserts at base for easy mounting
- 12V Aquatec premium quality Smoothflo pulsation free pump 7L/Min open flow or max 8bar/120psi (DDP-552A)
- Large 1 1/4" drain outlet for easy empty and clean
- 255mm screw on lid and filter basket
- Inline filter with viewing bowl
- Retractable spring loaded hose reel, 15m of 3/8" hose with swiveling body and Spotjet spraygun
- 3m wiring harness and alligator clips for connection to battery

#### OPTIONAL BOOMLESS NOZZLE: M99-65

This compact kit offers broadcast spraying, ideal for applications around obstacles that could damage a traditional spray boom such as fences, trees, guardrails, and power poles

- Attaches to a Utility, Trailer, UTV or Side by Side
- Supplied with mounting bracket, 600mm of 12.5mm ID hose with inline tap to isolate flow or turn ON/OFF
- Spray swath from 3.5m 90-degree spray angle to 7m 180-degree spray angle



UP100-S7-2  
Shown with 15m  
Retractable Reel



#### OPTIONS:



CODE	CAPACITY	PUMP	FLOW	HOSE REEL	SPRAY GUN	LIST EX	LIST INC	CAT
UP100-S7-2	100L	Smoothflo	7L/min 120 psi	15m Retractable	SpotJet Gun	\$1,153.64	<b>\$1,269.00</b>	A
M99-65	Boomless Nozzle Kit with Single or Double Sided Swath (suit S7)					\$180.91	<b>\$199.00</b>	B
RP1-20	1.5m Towbar Boom					\$554.55	<b>\$610.00</b>	A

**FOR ALL SUITABLE ACCESSORIES & ATTACHMENTS, REFER TO PAGE 37**

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



TK200-S7C-2

## 200L PROFESSIONAL TRUKPAK SPRAYERS

Professional self contained space saving sprayers favoured for their flexible range of options and industrial design to fit to either utilities, trailers, carryalls, UTV or Side by Sides. Ideal for both pest control and on farm spraying applications.

### SPECIFICATIONS:

- UV stabilized polytuff tank with 8mm brass inserts at base for easy mounting
- 12V Aquatec premium quality Smoothflo pulsation freepump 7L/Min open flow or max 8bar/120psi (DDP-552A)
- Large 1 1/4" drain outlet for easy empty and clean
- 255mm screw on lid and filter basket
- Inline filter with viewing bowl
- 3mtr wiring harness and alligator clips for connection to battery

### MODEL: TK200-S7C-1 Manual Rewind Hose Reel (30m)

- Eco powder coated hose reel with hub locking pin
- 30m x 10m delivery hose and Spotjet spray gun
- 4 mounting positions North/South or East/West

### MODEL: TK200-S7C-2 Retractable Hose Reel (15m)

- Retractable spring loaded hose reel
- 15m of 3/8" hose with 270 degree swiveling body and Spotjet spray gun

6m HOSE INCLUDED ON BASE MODEL

4 MOUNTING POSITIONS FOR HOSE REEL



TK200-S7C



TK200-S7C-1



TK200-S7C-2



### OPTIONS:



CODE	CAPACITY	PUMP	FLOW	HOSE REEL	SPRAY GUN	LIST EX	LIST INC	CAT
TK200-S7C	200L	Smoothflo	7L/min 120 psi	-	Spotjet	\$1,199.09	<b>\$1,319.00</b>	A
TK200-S7C-1	200L	Smoothflo	7L/min 120 psi	30m Eco	Spotjet	\$1,262.73	<b>\$1,389.00</b>	A
TK200-S7C-2	200L	Smoothflo	7L/min 120 psi	15m Retractable	Spotjet	\$1,326.36	<b>\$1,459.00</b>	A
M99-65	Boomless Nozzle Kit with Single or Double Sided Swath (suit S7)					\$180.91	<b>\$199.00</b>	B
RP1-20	1.5m Towbar Boom					\$554.55	<b>\$610.00</b>	A

FOR ALL SUITABLE ACCESSORIES & ATTACHMENTS, REFER TO PAGE 37

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



## 12 Volt and Motorised Sprayers



TK200-S9-1

### 200L PROFESSIONAL HI PRESSURE TRUKPAK SPRAYERS (200psi)

Professional self contained space saving sprayers favoured for their flexible range of options and industrial design to fit to either utilities, trailers, carryalls, UTV or Side by Sides. Ideal for both Pest control and on farm extra distance spraying applications are required.

#### SPECIFICATIONS:

- UV stabilized polytuff tank with 8mm brass inserts at base for easy mounting
- 12V Aquatec Premium Quality pump
- 5L/Min open flow or max 13Bar/200psi (DDP-554)
- Jetpro Spraygun, ideal for distance spraying
- Large 1 1/4" drain outlet for easy empty and clean
- 255mm screw on lid and filter basket
- Inline filter with viewing bowl
- 3mtr wiring harness and alligator clips for connection to battery

#### MODEL: TK200-S9-1 (30M) MANUAL REWIND HOSEREEL

- Eco Powder coated hosereel with hub locking pin
- 30m x 10m delivery hose and PA Spraygun
- 4 mounting positions North/South or East/West

#### MODEL: TK200-S9-2 (15M) RETRACTABLE HOSEREEL

- Retractable spring loaded hosereel
- 15m of 3/8" hose with swivelling body and JetPro spray gun

200PSI  
MAX  
PUMP

TK200-S9-1

8mm brass  
mounting inserts

TK200-S9-2



200psi pump for distance spraying up to 11m

CODE	CAPACITY	PUMP	FLOW	HOSE REEL	SPRAY GUN	LIST EX	LIST INC	CAT
TK200-S9-1	200L	Smoothflo	5L/min 200 psi	30m Eco	JetPro	\$1,590.91	\$1,750.00	A
TK200-S9-2	200L	Smoothflo	5L/min 200 psi	15m Retractable	JetPro	\$1,590.91	\$1,750.00	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

## 12 Volt and Motorised Sprayers



TK200-S10BR

### 200L PROFESSIONAL TRUKPAK SPRAYERS (FITTED WITH PRESSURE REGULATOR)

Professional self contained sprayers favoured for their flexible range of options and industrial design to fit to either utilities, trailers, carryalls, UTV or Side by Sides.

#### MODEL: TK200-S10R

- UV stabilized polytuff tank with 8mm brass inserts at base for easy mounting
- 12V Aquatec premium quality pump 14L/min open flow or max 4bar/60psi (DDP-555)
- Pressure regulator and gauge, that allows operators to adjust pressures when spot spraying or boom spraying
- Large 1 1/4" drain outlet for easy empty and clean
- 255mm screw on lid and filter basket
- Inline filter with viewing bowl
- 6mtr x 10mm agricultural delivery hose and PA spray gun
- 3mtr wiring harness and alligator clips for connection to battery



TK200-S10R



#### OPTIONS:



#### MODEL: TK200-S10BR

As above Model TK200-10R – also supplied with M99-75B Twin Boomless nozzle

- Attaches directly to the rear of the spray Tank or with extra hose fit it to a Utility, Trailer, UTV or Side by Side
- Supplied with mounting bracket, 600mm of 12.5mm ID hose with inline tap to isolate flow or turn ON/OFF
- Spray swath single nozzle up to 3.7m, twin nozzle up to 7.6m
- Ultra course droplets to assist in drift reduction

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TK200-S10R	200L Trukpak c/w pressure regulator & gauge	14L/Min 60psi	1030mm	580mm	535mm	18Kg	\$1,353.64	\$1,489.00	A
TK200-S10BR	200L Trukpak c/w pressure regulator, gauge and TWIN Boomless nozzle	14L/min 60 psi	1030mm	580mm	535mm	18Kg	\$1,562.73	\$1,719.00	A
M99-75B	Boomless Nozzle Kit 2 Jet						\$159.09	\$175.00	B
RP1-20	1.5m Towbar Boom						\$554.55	\$610.00	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



## 12 Volt and Motorised Sprayers



SQ300-S-1

### 300L SQUATPAK PROFESSIONAL SPRAYERS

Professional self contained 12 Volt sprayers are ideally suited towards small to medium acreage properties, great for general spot spraying, boomless nozzle spraying and boom spraying – industrially designed and robust enough to easily fit into Side by Sides, utilities, & trailers.

#### SPECIFICATIONS:

- UV stabilized polytuff tank with internal baffle to reduce surge when travelling.
- Large screw down lid with 255 mm strainer basket & 1" 1/4" drain outlet for flushing
- Inline suction filter
- Deep Tie-down locating channels for ratchet strap mounting
- 30m hose reel x 10mm agricultural delivery hose and adjustable Atomiser spray gun

#### MODEL: SQ300-S7-1

- 7 L/min, 8 bar / 120 psi premium quality 12 Volt Aquatec pump
- 3m wiring harness and alligator clips for connection to battery

#### MODEL: SQ300-S8-1

- 20 L/min 12 Volt Hi Capacity 4 Bar/60 psi Aquatec pump
- Pressure regulator and gauge fitted, that allows operators to adjust pressures when spot spraying, boomless nozzle spraying or boom spraying
- 3m wiring harness and alligator clips for connection to battery including an in cab on/off control box



SQ300-S7-1



#### OPTIONS:



SQ300-S8-1



#### OPTIONS:



CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQ300-S7-1	300L Squatpak, Smoothflo pump & 30m hose reel	7L/min	1080mm	930mm	880mm	37 kg	\$1,600.00	<b>\$1,760.00</b>	A
SQ300-S8-1	300L Squatpak, Hi Capacity pump & 30m hose reel & pressure regulator	20L/min	1080mm	930mm	880mm	38 kg	\$1,772.73	<b>\$1,950.00</b>	A
M99-65	Boomless Nozzle Kit with Single or Double sided spray swath (Suits S7 model)						\$180.91	<b>\$199.00</b>	B
M99-75B	Hi Flow Boomless Nozzle Kit with Single or Double sided spray swath (Suits S8 model)						\$159.09	<b>\$175.00</b>	B
RP1-20	2m Towbar Pak Boom (Suits S7 model)						\$554.55	<b>\$610.00</b>	A
RP1-33	4m Cross fold Towbar Pack Boom (Suits S8 model)						\$1,527.27	<b>\$1,680.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

## 12 Volt and Motorised Sprayers



SQ400-S8-1

### 400L SQUATPAK PROFESSIONAL SPRAYERS

Professional self contained 12 Volt sprayers ideally suited towards medium to large acreage properties, great for general spot spraying, boomless nozzle spraying and boom spraying – industrially designed and robust enough to easily fit into Side by Sides, utilities, & Trailers.

#### SPECIFICATIONS:

- UV stabilized polytuff tank with internal baffle to reduce surge when travelling.
- Large screw down lid with 255 mm strainer basket & 1" 1/4" Drain outlet for flushing
- Inline suction filter
- Deep Tie-down locating channels for ratchet strap mounting
- 30m hose reel x 10mm agricultural delivery hose and PA spraygun

#### MODEL: SQ400-S7-1

- 7 L/min, 8 bar / 120 psi premium quality 12 Volt Aquatec pump
- 3m wiring harness and alligator clips for connection to battery.

#### MODEL: SQ400-S8-1

- 20 L/min 12 Volt Hi Capacity 4 Bar/60 psi Aquatec pump
- Pressure regulator and gauge fitted, that allows operators to adjust pressures when spot spraying, boomless nozzle spraying or boom spraying
- 3m wiring harness and alligator clips for connection to battery including an in cab on/off control box.



SQ400-S7-1




#### OPTIONS:



SQ400-S8-1



#### OPTIONS:



CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQ400-S7-1	400L Squatpak, Smoothflo pump & 30m hosereel	7 L/min	1080mm	930mm	880mm	41 kg	\$1,635.45	<b>\$1,799.00</b>	A
SQ400-S8-1	400L Squatpak, Hi Capacity pump, 30m hosereel & pressure regulator	20 L/min	1080mm	930mm	880mm	45 kg	\$1,817.27	<b>\$1,999.00</b>	A
M99-65	Boomless Nozzle Kit with Single or Double sided spray swath (Suits S7 model)						\$180.91	<b>\$199.00</b>	B
M99-75B	Hi Flow Boomless Nozzle Kit with Single or Double sided spray swath (Suits S8 model)						\$159.09	<b>\$175.00</b>	B
RP1-20	2m Towbar Pak Boom (Suits S7 & S8 models)						\$554.55	<b>\$610.00</b>	A
RP1-33	4m Cross fold Towbar Pack Boom (Suits S8 model)						\$1,527.27	<b>\$1,680.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



## 12 Volt and Motorised Sprayers

**NEW RELEASE**

L03H2-34-1

Shown with optional 4m cross fold boom (RP1-33)

### MOTORISED SQUATPAK PROFESSIONAL SPRAYERS - 300L & 400L

Professional self contained motorised are ideally suited towards small to medium acreage properties, great for general spot spraying, distance spraying applications such as blackberry spraying, boomless nozzle and boom spraying – industrially designed and robust enough to easily fit into Side by Sides, utilities, & trailers.

#### SPECIFICATIONS:

- UV stabilized polytuff tank with internal baffle to reduce surge when travelling.
- Deep Tie-down locating channels for ratchet strap mounting
- Large screw down lid with 255 mm strainer basket & 1" 1/4" drain outlet for flushing
- Pressure regulator and gauge fitted, that allows operators to adjust pressures when spot spraying, boomless nozzle and boom spraying

#### 300L MODEL: L03H2-34-1

- 18.5 L/min Italian diaphragm pump 20 Bar/290psi max pressure.
- Honda GX120 unleaded petrol engine (4 Stroke)
- Pressure regulator and gauge fitted, that allows operators to adjust pressures when spot spraying, boomless nozzle and boom spraying

#### 400L MODEL: L04H2-34-1

- 18.5 L/min Italian diaphragm pump 20 Bar/290psi max pressure.
- Honda 3.5Hp GX120 unleaded petrol engine (4 Stroke)
- 30m hose reel x 10mm agricultural delivery hose and adjustable Atomiser spray gun

#### HI PRESSURE 400L MODEL: L04H4-42

- 38 L/min Italian diaphragm pump 40 Bar/580psi max pressure
- Honda 5.5Hp GX160 unleaded petrol engine (4 Stroke)
- 20m hose reel x 10mm agricultural delivery hose and adjustable Jetpro Spray gun



L03H2-34-1



L04H2-34-1



L04H4-42



#### OPTIONS:



M99-75B



RP1-33



RP1-20

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L03H2-34-1	300L Squatpak, MC20/20 pump & 30m hosereel	18.5 L/min	1080mm	930mm	880mm	47kg	\$4,120.00	<b>4,532.00</b>	9
L04H2-34-1	400L Squatpak, MC20/20 pump & 30m hosereel	18.5 L/min	1080mm	930mm	1045mm	51kg	\$4,210.00	<b>4,631.00</b>	9
L04H4-42	400L Squatpak, APS41 high pressure pump & 20m hosereel	38 L/min	1080mm	930mm	1045mm	47kg	\$5,563.64	<b>\$6,120.00</b>	9
M99-75B	Hi Flow Boomless Nozzle Kit with Single or Double sided spray swath (Suits all models)						\$159.09	<b>\$175.00</b>	B
RP1-20	2m Towbar Pak Boom (Suits all models)						\$554.55	<b>\$610.00</b>	A
RP1-33	4m Cross fold Towbar Pack Boom (Suits all models)						\$1,527.27	<b>\$1,680.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



### 300L LIGHTFOOT MOTORISED HI PRESSURE TRAILED SPRAYER

Professional trailed sprayer designed to be attached to the rear of a Utility, ATV or a Side by Side vehicle. Ideal for precise spraying applications, general weed spraying including any distance spraying applications around the property. With the 6m boom it is ideal for the operator that wants to cover a large area quickly.

#### SPECIFICATIONS:

- UV stabilized polytuff tank 255mm screw on lid and filter basket
- Drain outlet for easy empty and clean
- Mud puppy tyres and solid steel axle strength and extra stability
- 50mm tow ball hitch and parking stand
- Extendable drawbar, 0-400mm
- Vertical boom channel for fitment of accessories

#### PUMP AND CONTROLS

- MC20/20 Direct coupled to a GX120 Honda engine
- 18.5L/min open flow or max 20bar/290psi (LBA-34C)
- Pressure regulator and gauge
- Excess flow that the pump produces automatically bypasses back to the tank for agitation
- Allows operators to adjust pressure and flow when spot spraying or boom spraying

#### BOOM AND HOSEREEL

- 6m Galvanised boom, stainless steel spraybars, non drip modules & air induction nozzles to assist in drift reduction
- 30m Eco hosereel with 30m of 10mm ID agricultural hose and adjustable Atomiser spray gun



CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-34-3	300L Motorised Trailed unit, 6m boom & 30m hosereel	18.5 L/min 20Bar/290psi	1800mm	2040mm	1300mm	47kg	\$6,927.27	7,620.00	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



## 12 Volt and Motorised Sprayers



LT30-S8-2

### 300L LIGHTFOOT TRAILED SPRAYER *with 4m CROSS FOLD BOOM*

Professional trailed sprayer designed to be attached to the rear of a Utility, ATV, UTV or a Side by Side Vehicle. Ideal for precise spraying applications and general weed spraying management around the property and farm.

#### SPECIFICATIONS:

- UV stabilized polytuff tank 255mm screw on lid and filter basket
- Drain outlet for easy empty and clean
- Mud Puppy tyres and solid steel axle strength for extra stability
- 50mm tow ball hitch and parking stand
- Extendable drawbar, 0-400mm

#### PUMP AND CONTROLS

- 12V Aquatec premium quality pump 20L/min open flow or max 4bar/60psi (DDP-550)
- Pressure regulator and gauge, that allows operators to adjust pressures when spot spraying or boom spraying
- Inline suction filter

#### BOOM

- 4m Spray swath, total width 3.6m
- Galvanised boom arms and centre section
- Breakback Boom arms to assist if obstacles are met
- Stainless steel spray bars and non drip nozzle bodies for fast ON/OFF spraying
- Yellow 02, Air Induction nozzles for excellent drift reduction

#### HOSE REEL

- Eco hosereel with 30m x 10mm delivery hose with drum lock and Atomiser Spraygun
- Water and Dust resistant control box, 3m wiring harness and alligator clips for connection to 12V battery



LT30-S8-2

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-S8-2	300L Trailed Sprayer, 4m Swath & 30m hosereel	20L/Min 60psi	1800mm	1155mm	1480mm	125kg	\$4,544.55	<b>\$4,999.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

## 12 Volt and Motorised Sprayers



LT30-S8-1

### 300L LIGHTFOOT TRAILED SPRAYER with BOOMLESS NOZZLE

Professional trailed sprayer designed to be attached to the rear of a Utility, ATV, UTV or a Side by Side Vehicle. Ideal for precise spraying applications and general weed spraying management around the property and farm.

#### SPECIFICATIONS:

- UV stabilized polytuff tank 255mm screw on lid and filter basket
- Drain outlet for easy empty and clean
- Mud Puppy tyres and solid steel axle for strength and extra stability
- Extendable drawbar, 0-400mm

#### PUMP AND CONTROLS

- 12V Aquatec premium quality pump 20L/min open flow or max 4bar/60psi (DDP-550)
- Pressure regulator and gauge, that allows operator to adjust pressures when spot spraying or boom spraying
- Inline suction filter
- Water and dust resistant On/Off Control box with 3mtr wiring harness and alligator clips for connection to 12V battery

#### BOOMLESS NOZZLE

- Spray swath single nozzle up to 3.7m, Twin nozzle up to 7.6m
- Ultra course droplets to assist in drift reduction
- Operation via the On/Off control box

#### HOSE & SPRAY GUN

- Spotjet spray gun with 6m of 8mm ID hose
- Operate via the valve and On/Off control box



CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-S8-1	300L Trailed Sprayer, Boomless nozzle & Spray gun	20L/Min 60psi	1800mm	1155mm	1080mm	135kg	\$4,081.82	<b>\$4,490.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

## 12 Volt and Motorised Sprayers



LT30-34-2

### 300L LIGHTFOOT MOTORISED HI PRESSURE TRAILED SPRAYER

Professional trailed sprayer designed to be attached to the rear of a Utility, ATV, UTV or a Side by Side Vehicle. Ideal for precise spraying applications and general weed spraying management around the property and Farm. Operators can increase the size of nozzles to increase application rates, excellent for distance spraying and atomiser applications i.e. blackberry control.

#### SPECIFICATIONS:

- UV stabilized polytuff tank 255mm screw on lid and filter basket
- Large 1 1/4" drain outlet for easy empty and clean
- Mud Puppy tyres and solid steel axle for strength and extra stability
- 50mm tow ball hitch and parking stand
- Vertical boom channel for fitment of accessories

#### PUMP AND CONTROLS

- MC20/20 diaphragm pump direct coupled to a GX120 Honda engine
- 18.5L/min open flow or max 20bar/290psi (LBA-34C)
- Pressure regulator and gauge
- Automatic bypass for 'on the go' agitation
- Allows operators to adjust pressure and flow when spot spraying or boom spraying

#### MODEL: LT30-34-2 (4m SWATH BOOM & 15m RETRACTABLE HOSE REEL)

- As above unit LT30-34 fitted with the following extras:
- 4m Galvanised Cross fold boom, stainless steel spraybars, non drip nozzle bodies fitted with yellow 02 Air induction nozzles to assist in drift reduction
- 4m Spray swath – boom width 3.6m
- Breakback facility to assist if obstacles are met
- Retractable hose reel with 15m of 3/8" hose and Atomiser spraygun
- Water and Dust resistant On/Off control box & Solenoid
- 3m wiring harness and alligator clips for connection to 12 volt battery



LT30-34-2



EXTENDABLE  
DRAWBAR 0 – 400MM



FILLER LID WITH  
BASKET STRAINER

CODE	DESCRIPTION	FLOW	PRESSURE	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-34	300L Motorised Trailed unit	18.5L/Min	20Bar/290psi	1930mm	1155mm	1270mm	116kg	\$5,180.91	<b>\$5,699.00</b>	9
LT30-34-2	300L Motorised Trailed unit 4m Boom, 15m Retractable Hosereel	18.5L/Min	20Bar/290psi	2200mm	1155mm	1540mm	153kg	\$6,663.64	<b>\$7,330.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



## 12 Volt and Motorised Sprayers



LT30-34-H

### 300L LIGHTFOOT MOTORISED VINE SPRAYER

Professional trailed sprayer designed to be attached to the rear of a Utility, ATV, UTV or a Side by Side Vehicle. Ideal for spraying small Vineyards and other trellis crop types.

#### SPECIFICATIONS:

- UV stabilized polytuff tank 255mm screw on lid and filter basket
- Drain outlet for easy empty and clean
- Mud Puppy tyres and solid steel axle strength and extra stability
- 50mm tow ball hitch and parking stand
- Extendable drawbar, 0-400mm

#### PUMP AND CONTROLS

- MC20/20 Diaphragm pump direct coupled to a GX120 Honda engine
- 18.5L/min open flow or max 20bar/290psi (LBA-34C)
- Pressure regulator and gauge, automatic bypass on for the go agitation
- Allows the operator to adjust pressure and flow when spraying
- Optional in cab electric controls (GT-SOL7) Allows the operator to turn each side On/Off and the start and finish of each row.

#### BOOM

- Galvanised boom with adjustable stainless steel spray bar position
- 10 Brass adjustable nozzles, with manual shut off
- Adjustable boom Height and Width



EXTENDABLE  
DRAWBAR 0 – 400MM



EASY TO REACH  
FILTER



FILLER LID WITH  
BASKET STRAINER



ADJUSTABLE  
NOZZLE SHUT OFF

CODE	DESCRIPTION	FLOW	PRESSURE	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-34-H	300L Motorised Light-foot Vine Sprayer	18.5L/Min	20Bar/290psi	2200mm	1170mm	1540mm	153kg	\$5,617.27	<b>\$6,179.00</b>	9
GT-SOL7	Factory fitted In cab electric controls							\$1,045.45	<b>\$1,150.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

## 12 Volt and Motorised Sprayers



K02A

### 12V TRAYLINK SPRAYERS - 200L & 300L

The Traylink sprayers eliminate the need for a PTO connection for small to medium boom spraying. The frames (CAT1) can be fitted to small HP tractors, utilities, side by sides and trailers by only requiring a 12 volt connection for the high capacity pump.

#### SPECIFICATIONS:

- UV stabilised polytuff tank with sump
- Steel TPL frame (CAT1)
- Aquatec high capacity 12v pump 20L/min (open flow or 4 Bar/60psi max pressure, Viton valves & Santoprene diaphragms)
- Pressure regulator with pressure gauge for control and agitation
- Spotjet spraygun with adjustable nozzle and 6m of 12mm ID delivery hose

#### 200L TRAYLINK ( K02A) & 300L TRAYLINK ( K03A)

- 200L Powder coated steel frame
- 300L Galvanised steel frame
- Boomless nozzle with a spray swath of total 7.4m, or 3.7m when one side spraying



K03A

#### 300L TRAYLINK WITH 6M GALVANISED BOOM (K03A-19B)

- Stainless steel spraybars, non drip modules with 50cm spacing and size 02 Air Induction nozzles for drift reduction
- Height adjustable with breakback facility to protect the boom if an obstruction is hit



K03A-19B

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
K02A	200L Traylink Sprayer	20 L/min	1040mm	460mm	745mm	55 kg	\$1,817.27	<b>\$1,999.00</b>	9
K03A	300L Traylink Sprayer	20 L/min	1070mm	830mm	1060mm	72 kg	\$2,563.64	<b>\$2,820.00</b>	9
K03A-19B	300L Traylink Sprayer 6m Boom	20 L/min	2000mm	1130mm	1060mm	117 kg	\$3,868.18	<b>\$4,255.00</b>	9

## 12 Volt and Motorised Sprayers



### 300L SKID SPRAYER WITH REEL TUFF REMOTE REEL

#### SPECIFICATIONS:

- Australian made REEL TUFF Remote hose reel with galvanised steel construction for enhanced durability, direct drive gearbox, long range interference-free remote control and hub position lock with spring loaded mechanism
- 300 Polytuff tank with sump
- Turbo 400 spray gun and liquid shutoff snap coupling for easy removal, storage or change
- Steel skid frame, hot dipped galvanised skid for extra durability and superior corrosion resistance
- Engine driven Comet APS41 diaphragm pump 38L/min open flow or maximum pressure 40 Bar/580psi with pressure regulator
- Honda GX160 5.5HP engine & direct drive reduction gearbox
- 100m of 1/2" O.D hose with kink resistant nylon tubing
- Keeps hose tight in transport
- lockable hub for transportation



#### ADDITIONAL MODEL OPTION:

- 150m hose

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L03H4-42R147*	300L Single Reel	38L/min (40 Bar)	1020mm	1340mm	970mm	182 kg	\$9,909.09	<b>\$10,900.00</b>	9
L03H4-42R147EH	300L Single reel 150m Hose	38L/min (40 Bar)	1020mm	1340mm	970mm	185 kg	\$10,363.64	<b>\$11,400.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.  
 \*Special dealer discount applies to these items.



## 12 Volt and Motorised Sprayers



YouTube

SCAN TO  
SEE OUR  
400L SKID  
SPRAYER  
IN ACTION!

L04H4-42R147

### 400L SKID SPRAYER WITH REEL TUFF REMOTE REEL

#### SPECIFICATIONS:


- 400L baffled tank with sump, fitted to galvanised skid
- Honda engine and Comet APS41PUMP
- 38L/min (open flow) 40 Bar/580psi max pressure
- 100m Smoothline hose and Turbo 400 spray gun

#### ADDITIONAL MODEL OPTIONS:

- Twin Reels: Add a second hose reel to allow two operators to spray independently at the same time
- Electric start with battery
- 150m hose



L04H4-42R147



L04H4-42R147T



LONG RANGE  
REMOTE SYSTEM

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
L04H4-42R147*	400 Single Reel	38L/min (40 Bar)	1200mm	1850mm	750mm	215 kg	\$9,999.09	<b>\$10,999.00</b>	9
L04H4-42R147T*	400 Twin Reel	38L/min (40 Bar)	1200mm	1850mm	750mm	265 kg	\$14,435.45	<b>\$15,879.00</b>	9
L04H4-42R147E	400L Single reel, Electric start c/w Battery	38L/min (40 Bar)	1200mm	1850mm	750mm	221 kg	\$12,000.00	<b>\$13,200.00</b>	9
L04H4-42R147EH	400L Single Reel, 150m Hose	38L/min (40 Bar)	1200mm	1850mm	750mm	218 kg	\$10,454.55	<b>\$11,500.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

\*Special dealer discount applies to these items.

**Silvan**

CALL: **1300 745 826** or visit [silvan.com.au](http://silvan.com.au) for more information

## 12 Volt and Motorised Sprayers



L06H4-42R147

### 600L SKID SPRAYER WITH REEL TUFF REMOTE REEL

#### SPECIFICATIONS:

- Australian made REEL TUFF Remote hose reel with galvanised steel construction for enhanced durability, direct drive gearbox, long range interference-free remote control and hub position lock with spring loaded mechanism
- 600L Polytuff barrel tank with internal sump
- Honda engine and comet APS41PUMP
- Honda GX160 5.5HP engine & direct drive reduction gearbox
- Steel skid frame, hot dipped galvanised skid for extra durability and superior corrosion resistance
- Keeps hose tight in transport
- 100m of 1/2" O.D hose with kink resistant nylon tubing
- Turbo 400 spray gun and liquid shutoff snap coupling for easy removal, storage or change

#### ADDITIONAL MODEL OPTIONS:

- Twin reels: Add a second hose reel to allow two operators to spray independently at the same time
- Electric start with battery
- 150m hose



L06H4-42R147T

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
L06H4-42R147	600 Single Reel	38L/min (60 Bar)	1200mm	1850mm	750mm	225 kg	\$10,100.00	<b>\$11,110.00</b>	9
L06H4-42R147T*	600 Twin Reel	38L/min (60 Bar)	1200mm	1850mm	750mm	275 kg	\$14,635.45	<b>\$16,099.00</b>	9
L06H4-42R147E	600L Single reel, Electric start c/w Battery	38L/min (60 Bar)	1200mm	1850mm	750mm	230 kg	\$12,090.91	<b>\$13,300.00</b>	9
L06H4-42R147EH	600L Single Reel, 150m Hose	38L/min (60 Bar)	1200mm	1850mm	750mm	228 kg	\$10,545.45	<b>\$11,600.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

\*Special dealer discount applies to these items.

