


Diesel Tanks & Accessories



Diesel Tanks and Accessories



DIESELPRO 200L-600L

DieselPro

Premium Diesel transfer units

Baffled tank: 400L and 600L

Lockable filling lid and Pump cover

PIUSI Italy 12V pump

Auto shut-off nozzle with 5 metres of hose

Anti-static earthing strap



DIESEL CUBE 200L-600L

DieselCUBE

Efficient sized workstation

Baffled tank

Selecta 12V Diesel Power pump

Tank fill gauge

Lockable filling lid and Pump cover

Auto shut-off nozzle with 4 metres of hose



DIESELPower 100L-400L

DieselPower

Low profile & SquatPak designs available

Baffled tank: 300L and 400L models

Selecta 12V Diesel Power pump

Auto shut-off nozzle with 4 metres of hose

100L, 200L & 400L Models feature lockable filling lid and pump cover for added security

DieselPak



DieselPak 1100L-2200L

Bulk volume units (Optional HI FLOW units available)

PIUSI Italy 12V pump options

Auto shut-off nozzle with 4 metres of hose

Hose hanging hook

Tie-down locating channels for straps

Tank has moulded feet for 4 point bolt-down

Optional steel skid available (1100L only)

DieselPak



DIESELPak 400L- 800L

SquatPak tank design feature
large baffle and accessory mounting points

PIUSI Italy 12V pump

Auto shut-off nozzle with 5 metres of hose

WARNING: Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions. Never fill the tank capacity to exceed the vehicle or tractor manufacturer's specified safe load carrying capacities.

Note: 1L of water = 1kg

Diesel Transfer Units

Safe & reliable diesel transfer solutions for refuelling on the go!

**STRONG LOCKABLE LID
& SHIELDED TANK
BREATHER
TO PREVENT THEFT**

**40 OR 45L/MIN
PUMPS**

**IMPACT RESISTANT
UV STABILISED DIESEL
GRADE POLYTUFF
TANKS**

**LOCKABLE
FILLING CAP**

**3/4" DELIVERY HOSE &
AUTO SHUT OFF TRIGGER**

**AUTO SHUT OFF NOZZLE
WITH HOSE SWIVEL**



SQDT100-2

100L DIESEL CADDY

Diesel Caddy's are a compact addition to the workshop for diesel top ups to farm and construction equipment and also transferring diesel to a water craft.

SPECIFICATIONS:

- 100L UV Stabilised polytuff tank, with screw on lid and breather
- Flat free PU wheels 245mm
- Hook to store the delivery hose
- Grey in colour to denote Diesel

MODEL: SQDT100-1 (12 VOLT)

- 12V Submersible pump, 15L/Min flow
- 2m delivery hose, manual Aluminium Trigger
- 2.2m power cord with Alligator clips to connect to battery

MODEL: SQT100-2 (LEVER ACTION)

- Lever action pump, 0.5L per stroke
- 2.2m delivery hose, manual poly Trigger (with trigger lock)



SQDT100-1



SQDT100-2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQDT100-1	100 Diesel Caddy 12V	400mm	540mm	1050mm	19 kg	\$544.55	\$599.00	A
SQDT100-2	100 Diesel Caddy Lever Action	400mm	540mm	1050mm	14.5 kg	\$471.82	\$519.00	A

WARNING: Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions



TKD200-7

12V ECO DIESEL UNITS - 100L & 200L

The Eco Diesel transfer units are a simple approach solution to transfer diesel while including some premium features.

- Impact resistant Polytuff, UV Stabilised tank
- 12V Dieselpower pump 40L/min open flow
- Manual Aluminium Trigger
- 4m of 3/4" ID delivery hose
- 3m long power cord with alligator clips
- Lockable filling lid (100L only)



SQDN100-P1



TKD200-7



OPTIONS:



PF26-X3

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQDN100-P1	100L Diesel Eco Unit	800mm	620mm	440mm	18 kg	\$708.18	\$779.00	A
TKD200-7	200L Diesel Eco Unit	1030mm	580mm	535mm	21 kg	\$954.55	\$1,050.00	A
PF26-X3*	Digital Litre counter (Customer fitment)					\$362.73	\$399.00	A

WARNING: Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions

*Note customer fitment.



DIESELCUBE DIESEL TRANSFER UNITS - 200L, 400L & 600L

The 12V Diesel Cubes are a new generation design, specifically for most well body type utilities such as Ford Ranger, Toyota Hilux, BT-50, Triton, Nissan Navara, Isuzu D-Max and VW Amarok. The height of the Diesel Cubes make diesel transfer effortless in these vehicles. All Diesel Cubes are baffled to reduce liquid surge when travelling.

SPECIFICATIONS:

- **BAFFLED TANKS** to reduce liquid surge when travelling
- Impact resistant UV stabilised polytuff tank
- Strong double walled lockable pump cover protects the pump and tank breather from any unwanted access (padlock included).
- Tank level indicator guage (400& 600L only)
- Forklift pockets, use when tank is empty
- Parking stand to hold cover up when in use (400& 600L only)
- 12V DieselPower pump, 40L/min open flow
- 4m 3/4" ID delivery hose with crimped fittings, swivel & auto shut off trigger.
- 4m wiring harness with alligator clips



OPTIONS:



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
SQDS200-7	200L Diesel Cube unit	800mm	660mm	625mm	28 kg	\$1,180.91	\$1,299.00	A
SQDS400-7	400L Diesel Cube unit	1100mm	960mm	660mm	46 kg	\$1,726.36	\$1,899.00	A
SQDS600-7	600L Diesel Cube unit	1140mm	1350mm	675mm	55 kg	\$1,908.18	\$2,099.00	9
PF26-X3*	Digital Litre counter (Customer fitment)					\$362.73	\$399.00	A

WARNING: Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

*Note customer fitment.



SQDN200L-Z1

DIESELPRO DIESEL TRANSFER UNITS - 200L, 400L & 600L

The 12V DieselPro range of transfer units are available in 200L, 400L & 600L capacities. Featured packed with World class components, including an Italian made Piusi pump, Longer hose and wiring harnesses than others in the market. Made with diesel grade polyethylene that is UV stabilised to ensure a longer life.

- 12V DieselPro Italian Piusi pump 45L/min open flow
- Strong double walled lockable pump cover protects the pump and tank breather from any unwanted access. (Padlock included)
- Internal suction filter
- Lockable filling cap (2 keys)
- High quality Auto shut off trigger
- 5m of 3/4" delivery hose with swivel & crimped fittings
- 4m wiring harness with alligator clips
- Anti static earth strap
- Low profile design for clear rear view from utility

400L & 600L DIESELPRO TRANSFER UNITS (SQDN400L-Z1 & SQDN600L-X1)

- Featured with BAFFLED TANKS to reduce surge when travelling
- 400L unit has Worksafe Victoria approval number 30315
- 600L Tank bottom 8mm brass inserts for bolt down mounting to a tray, skid or platform



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
SQDN200L-Z1	200L DieselPro Unit	1100mm	640mm	610mm	27 kg	\$1,453.64	\$1,599.00	A
SQDN400L-Z1	400L DieselPro Unit	1700mm	820mm	590mm	41 kg	\$1,680.91	\$1,849.00	A
SQDN600L-X1	600L DieselPro Unit	1664mm	840mm	810mm	50 kg	\$1,990.91	\$2,190.00	A
06792504	Lockable Filler cap Suit DieselPro 200L and 400L					\$86.36	\$95.00	B
G8178013	Lockable Filler cap Suit DieselPro 600L					\$59.09	\$65.00	B
PF26-X3*	Digital Litre counter (Customer fitment)					\$362.73	\$399.00	A

WARNING: Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

*Note customer fitment.



SQDN100-1

DIESELPower DIESEL TRANSFER UNITS - 100L, 200L & 300L

The 12V DieselPower transfer units are available in 100L, 200L & 400L capacity. The tanks are made from a diesel grade polyethylene and are impact resistant and UV stabilised, Proven and reliable Selecta DieselPower pumps are the heart of this rugged product.

- 12V DieselPower pump, 40L/min open flow
- Strong double walled lockable pump cover protects the pump and tank breather from any unwanted access. (Padlock included)
- Internal suction filter
- Lockable filling cap (2 keys)
- High quality Auto shut off trigger
- 4m of 3/4" delivery hose with swivel & crimped fittings
- 4m wiring harness with alligator clips
- Low profile design for clear rear view from utility
- **BAFFLED TANK 400L only**



SQDN200-7



SQDN400-7



BAFFLED TANK



OPTIONS:



PF26-X3

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQDN100-1	100L DieselPower Unit	800mm	620mm	440mm	18 kg	\$1,017.27	\$1,119.00	A
SQDN200-7	200L DieselPower Unit	1100mm	640mm	610mm	24 kg	\$1,180.91	\$1,299.00	A
SQDN400-7	400L DieselPower Unit	1700mm	820mm	590mm	41 kg	\$1,572.73	\$1,730.00	A
06792504	Lockable Filler cap Suit DieselPower 100L, 200L and 400L					\$86.36	\$95.00	B
PF26-X3*	Digital Litre counter (Customer fitment)					\$362.73	\$399.00	A

WARNING: Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

*Note customer fitment.

SQD300-7

SELECTA

300L DIESELPower & 400L DIESELPak DIESEL TRANSFER UNITS

The 300L and 400L Diesel transfer units are unique in design. The tanks are made from a diesel grade polyethylene and are impact resistant and UV stabilised, both tanks are BAFFLED to reduce surge when traveling which is a unique feature.

SPECIFICATIONS:

- **BAFFLED TANKS** to reduce surge when travelling and no spill breather
- High quality Auto shut off trigger
- 4m wiring harness with alligator clips
- Internal suction filter
- Low profile design for clear rear view from utility
- Forklift pockets, use when tank is empty
- Deep tie down locating channels for straps mounting and tank strength

MODEL: SQD300-7 (300L)

- 12V DieselPower pump
- 40L/min open flow
- 4m of 3/4" delivery hose with swivel & crimped fittings

MODEL: SQD400-X1 (400L)

- 12V Italian Diesel pump
- 45L/min open flow
- 5m 3/4" delivery hose with swivel & crimped fittings



SQD300-7



SQD400-X1



OPTIONS:



PF26-X3

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
SQD300-7	300L DIESELPower UNIT	1060mm	940mm	530mm	30 kg	\$1,326.36	\$1,459.00	A
SQD400-X1	400L DIESELPak UNIT	1060mm	940mm	650mm	42 kg	\$1,762.73	\$1,939.00	A
354130B	300L/400L Lid with breather					\$51.05	\$56.16	B
PF26-X3*	Digital Litre counter (Customer fitment)					\$362.73	\$399.00	A

WARNING: Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

*Note customer fitment.



SQD800-X1

DIESELPak UNITS - 800L & 1100L

The 12V DieselPak Larger capacity transfer units are available in 800L, 1100L have an internal BAFFLE to reduce surge when traveling. Featured packed with world class components, including an Italian made Piusi pump, longer hose and wiring harnesses than others in the market. Made with diesel grade polyethylene that is UV stabilised to ensure a longer life.

SPECIFICATIONS:

- **BAFFLED TANKS** to reduce surge when travelling and no spill breathers
- 800L has a TWIN BAFFLE, 1100L Single
- 12V Italian Piusi diesel pump
- 45L/min open flow
- 5m 3/4" delivery hose with swivel & crimped fittings
- High quality auto shut off trigger
- 4m wiring harness with alligator clips
- Internal suction filter
- Deep tie down locating channels for straps mounting and tank strength

UNIQUE TWIN



SQD800-X1



SQD1000-X1



OPTIONS:



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQD800-X1	800L DieselPak Unit	1800mm	940mm	760mm	30kg	\$2,349.09	\$2,584.00	A
SQD1000-X1	1100L DieselPak Unit	1500mm	1180mm	1090mm	56kg	\$2,544.55	\$2,799.00	9
354130B	Replacement lid with breather suit 800 & 1100L Dieselpak					\$51.05	\$56.16	B
PF26-X3*	Digital Litre counter (Customer fitment)					\$362.73	\$399.00	A

WARNING: Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

*Note customer fitment.

HI FLOW 85L/ Min PUMP

Approximately half
the transfer time of
a standard 45L/min
DieselPak unit.

Approximately half the
labour costs.

SQD1000-5

HI FLOW DIESELPak UNITS - 1100L & 2200L

The HI FLOW 12V DieselPak Larger capacity transfer units are available in 1100L, 2200L have an internal BAFFLE to reduce surge when traveling (1100L only). Featured packed with world class components, including an Italian made Piusi pump, longer hose and wiring harnesses than others in the market. Made with diesel grade polyethylene that is UV stabilised to ensure a longer life.

SPECIFICATIONS:

- **HI FLOW** 85L/Min Italian Piusi pump
- 4m 1" delivery hose with swivel & crimped fittings
- High quality auto shut off trigger
- 4m wiring harness with alligator clips
- Internal suction filter
- **BAFFLED TANK, 1100L only**
- Deep tie down locating channels for straps mounting and tank strength



SQD2200-5



OPTIONS:



PF26-X3

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQD1000-5	1100L HI FLOW DieselPak Unit	1500mm	1180mm	1090mm	61 kg	\$3,163.64	\$3,480.00	9
SQD2200-5	2200L HI FLOW DieselPak Unit	1900mm	1380mm	1150mm	103 kg	\$4,271.82	\$4,699.00	9
PF26-X3*	Digital Litre counter (Customer fitment)					\$362.73	\$399.00	A

WARNING: Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

*Note customer fitment.

Selecta DieselPower pumps have a reputation for high quality, reliability and great value. They are an ideal replacement pump for many poly or steel diesel tanks. Used in agricultural, construction and the marine Industry for transferring diesel to tractors, excavators, skid steers and boats.

12V DIESELPUMP PUMP - 40L/MIN

- 40L/min open flow capacity, 30min duty cycle
- 3/4" Female Bsp ports
- Cast iron pump head finished with anti-corrosion paint
- Steel rotor and acetal resin vanes
- Direct current brush motor with permanent stator
- Self priming with internal pressure bypass
- 4m battery cable with alligator clips
- Replacement pump for DieselPower diesel tanks



382-009



12V DIESELPUMP PUMP - 45L/MIN

- 45L/min open flow capacity, 30min duty cycle
- 1" Female Bsp ports
- Cast iron pump head finished with anti-corrosion paint
- Steel rotor and acetal resin vanes
- Direct current brush motor with permanent stator
- Self priming with internal pressure bypass
- 4m battery cable with alligator clips
- Replacement pump for the PF48 pump kit



382-074



12V BP3000 DIESEL PUMP

- 45 L/min open flow, 22 Amp max
- Comes with 2 x 19mm hose tails
- 4m battery cable with alligator clips
- Self priming with internal 3 minute pressure bypass
- Max. head 10 metres
- 30 minute duty cycle
- Made in Italy by PIUSI



F0022325A



12V INLINE BP3000 DIESEL PUMP

- 45 L/min open flow, 22 Amp max
- 3/4" female BSP inlet/outlet
- 4m battery cable with alligator clips
- Self priming with internal 3 minute pressure bypass
- Max. head 10 metres
- 30 minute duty cycle
- Made in Italy by PIUSI




382-059



CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
382-009	12V DieselPower Pump	40L/min	\$271.82	\$299.00	A
382-074	12V DieselPower Pump	45L/min	\$209.09	\$230.00	A
F0022325A	12V BP3000 Diesel Pump	45L/min	\$563.64	\$620.00	A
382-059	12V inline BP3000 Diesel Pump	45L/min	\$599.09	\$659.00	A

12/24V PANTHER DIESEL PUMP

- 12 volt: 35 L/min open flow, 16 Amp max
- 24 volt: 75 L/min open flow, 25 Amp max
- Self priming w/ internal 3 minute pressure bypass
- 4m battery cable with alligator clips
- Self-priming vane pump
- Internal screen filter
- 1" BSP female ports
- Made in Italy by PIUSI



F00341160



PIUSI

12V HI-FLOW DIESEL PUMP

- 85 L/min open flow, 35 Amp
- 1" BSP female ports
- 4m battery cable with alligator clips
- Self-priming vane pump
- Made in Italy by PIUSI



F0036302A



PIUSI

240V (AC) DIESEL TRANSFER PUMP

- 56 L/min open flow, 3 Amp max
- 1" BSP female ports
- 2m power lead
- Self-priming vane pump
- Internal screen filter
- Max. suction (Head) 10 meters
- Made in Italy by PIUSI



F0073022A




PIUSI

CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
F00341160	12/24V Panther Diesel Pump	35/75L/min	\$839.09	\$923.00	A
F0036302A	12V Hi-Flow Diesel Pump	85L/min	\$1,018.18	\$1,120.00	A
F0073022A	240V AC Diesel Pump	56L/min	\$631.82	\$695.00	A

12/24V PANTHER DIESEL PUMP KIT

- 12V: 35 L/min open flow, 16 Amp max
- 24V: 75 L/min open flow, 25 Amp max
- Suction foot screen filter with hosetails & clamps
- Automatic shut-off nozzle with hose swivel
- 4m of 3/4" I.D. diesel delivery hose
- 4m battery cable with alligator clips
- Made in Italy by PIUSI



PF341090



PIUSI

12V HI-FLOW DIESEL PUMP KIT

- 85 L/min open flow, 35 Amp max
- Automatic shut-off nozzle with hose swivel
- Suction foot screen filter with hosetails & clamps
- 4m battery cable with alligator clips
- 4m of 1" I.D. diesel delivery hose
- Made in Italy by PIUSI



PF363260

PIUSI



CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
PF341090	12/24V Panther Diesel Pump Kit	35L/min (12V) 75L/min (24V)	\$1,254.55	\$1,380.00	A
PF363260	12V Hi-Flow Diesel Pump Kit	85L/min	\$1,336.36	\$1,470.00	A

12V DIESELPUMP PUMP KIT

- 45L/min open flow
- 1" BSP female ports
- 4m of 19mm I.D. hose
- Auto shut-off gun & swivel
- 4m battery cable



PF48

12V BP3000 DIESEL PUMP KIT WITH AUTOMATIC GUN

- 45 L/min open flow, 22 Amp max
- Suction foot screen filter w/ hosedails & clamps
- Automatic shut-off nozzle with hose swivel
- 4m battery cable with alligator clips
- 4m of 3/4" I.D. delivery hose
- Made in Italy by PIUSI

PIUSI



F0022511C

CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
PF48	12V DieselPower Pump Kit	45L/min	\$480.91	\$529.00	A
F0022511C	12V BP3000 Diesel Pump Kit W/ Auto Gun	45L/min	\$835.45	\$919.00	A

PORTABLE OIL DRAIN

- Large concave design allows the capture of oil and coolant without the risk of leaking
- Strong durable plastic construction is resistant to most oils, coolants and chemicals
- Ergonomic moulded handles and large evacuation spout provide a safe, easy and mess free method of disposing the old liquid

12L
CAPACITY
FOR EASY
EMPTYING



PF53

12V SUBMERSIBLE DIESEL AND WATER TRANSFER PUMP

- 18 L/min open flow, 15psi max pressure
- 50mm diameter
- Durable ABS plastic with stainless steel motor shell
- 2.8 metre cable with alligator clips
- Integral inlet strainer
- 2m delivery hose



PF49

COPPER JIGGLER SIPHON

- Insert copper nozzle into container and briskly move up and down to begin flow
- Transfers up to 19L/min
- Safely siphons water, fuels, paints, solvents and thick oil



PF55

CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
PF53	Portable Oil Drain		\$44.55	\$49.00	B
PF49	12V Submersible Diesel & Water Transfer Pump	18L/min	\$81.82	\$90.00	B
PF55	Copper Jiggler Siphon		\$18.18	\$20.00	B

WATER & DIESEL HEAVY DUTY HOSE REEL

Capable of handling water or diesel, this versatile hose reel is a great addition to diesel units or fire fighters where extra hose is required.

- Inlet 3/4" BSP/outlet tapered hose tail
- Maximum pressure 1700 Kpa / 247psi
- 30m of 3/4" I.D. hose
- Manual rewind reel with hose guide rollers and stopper
- Height: 680mm, Length: 660, Width: 490mm
- Weight: 44.5kg



JA-1402021

PIUSI 10m RETRACTABLE DIESEL HOSE REEL

Heavy duty spring rewind reel with simple hose guide.

- Supplied with 10 metres of 1" delivery hose
- Adjustable arms for easy positioning as required
- Reduced pressure loss through the hydraulic system
- Latch mechanism prevents accidental contact with hands
- Complete with Inlet hose swivel
- 1" BSP Inlet and Outlet
- Height: 530mm, Length: 550, Width: 250mm
- Weight: 20kg



F00750030

PIUSI

DIESEL WATER FILTER

An easy to install and maintain filter for protecting your equipment. The filter catches water and additional material that contaminates a diesel tank and prevents these materials from passing on to the next tank of your vehicle or machine.

- Each filter includes housing bowl & element
- Inline Diesel moisture filter
- 1" BSP Female ports
- Clear filter bowl with drain tap



PF58



PF58-1



PF21



PF21-1

HOSETAILS TO SUIT:

- PF0225-39 (3/4" Tail)
- PF0225-65 (1" Tail)

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
JA-1402021	30m Water & Diesel Heavy Duty Hose Reel	\$817.27	\$899.00	A
F00750030	PIUSI 10m Retractable Hose Reel	\$1,154.55	\$1,270.00	A
PF21	Diesel Water Filter 10 Micro Meters	\$159.09	\$175.00	B
PF21-1	Replacement 10 Micro Meters Filter Suit Pf21	\$35.45	\$39.00	B
PF0225-39	Hosetail (to suit PF21) 3/4" Tail (O.D.) x 1" BSP Male Thread	\$31.82	\$35.00	B
PF0225-65	Hosetail (to suit PF21) 1" Tail (O.D.) x 1" BSP Male Thread	\$31.82	\$35.00	B
PF58	Diesel Water filter with 30 micro meters	\$104.55	\$115.00	B
PF58-1	Replacement 30 micro meters filter suit PF58	\$40.91	\$45.00	B

PIUSI OIL & DIESEL METER K400

- Flow rate 1-25 L/min
- Operating Pressure 70 Bar /1015 psi (max)
- Batch readout (maximum) – 99999L
- Total Readout (max) 999999L (plus x10 /x100)
- 1/2" BSP Female ports



F0047500A

SELECTA 4 DIGIT MECHANICAL DIESEL METER

- Flow rate 20-120 L/min
- Batch readout (maximum): 999L
- Total readout (max.): 9999999L
- 1" BSP Female ports
- Subtotal can be set to zero, total readouts cannot



PF12

PIUSI K24 DIGITAL DIESEL METER

- Easy to mount inline fuel meter
- Able to be calibrated and provides information as to the individual litre count or the totality of litres counted
- Flow rate of 10 - 120L/min
- Compact and sturdy design H:55mm x W:75mm x D:100mm
- Max. pressure 10 Bar or 145psi
- 1" BSP male inlet and male outlet



PF11



SELECTA DIGITAL DIESEL METER KIT

- This kit is supplied with additional fittings to allow the 1" BSP meter to be fitted to 3/4" BSP, or adapt a 1" Hose to a 3/4" nozzle and meter



PF26-X3

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
F0047500A	PIUSI Oil & Diesel Meter K400	\$509.09	\$560.00	A
PF12	Selecta 4 Digit Mechanical Diesel Meter	\$318.18	\$350.00	A
PF11	PIUSI K24 Digital Diesel Meter	\$390.91	\$430.00	A
PF26-X3	Selecta Digital Diesel Litre Counter Kit	\$362.73	\$399.00	A



PF01

PIUSI MANUAL SHUT-OFF GUN

- Aluminium
- Capacity up to 120 L/min
- 1" BSP female inlet



PF0225-02

AUTO SHUT-OFF GUN

This gun is featured on most Selecta diesel units.

- Capacity to 58 L/min
- Requires 50 kPa (7.5 psi) to open
- 3/4" BSP female inlet
- Not suitable for gravity fed applications
- Optional swivels to suit (see below)



PF01

SELECTA DIESEL TRANSFER GUN

- High quality auto shut-off dispensing nozzle
- 120 L/min max capacity
- 29mm dispensing spout
- Trigger lock
- 1" BSP female port
- Weight 1.8 kg
- Not suitable for gravity fed applications
- Optional swivel to suit (PF01-SW3)



PF17

PIUSI AUTO SHUT-OFF GUN

- Capacity to 120 L/min
- Requires 30 kPa (4.4 psi) to open
- 1" BSP female swivel inlet
- Not suitable for gravity fed applications



PF13

DIESEL SWIVEL ADAPTOR

- BSPT thread Male/Female adaptor
- Made from stainless steel/aluminium



CODE	DESCRIPTION	LIST EX	LIST INC	CAT
PF0225-02	Manual Shut-Off Gun	\$71.82	\$79.00	B
PF01	Auto Shut-Off Gun	\$171.82	\$189.00	B
PF17	Automatic Shut-Off Gun	\$213.64	\$235.00	B
PF13	Auto Shut-Off Gun	\$262.73	\$289.00	B
PF01-SW	3/4" Male to 3/4" Female Swivel	\$35.45	\$39.00	B
PF01-SW2	3/4" Male to 1" Female Swivel	\$35.45	\$39.00	B
PF01-SW3	1" Male to 1" Female Swivel	\$71.82	\$79.00	B